


OIL & GAS DRILLING SYSTEM







HDD MUD RECYCLING SYSTEM

HDD MUD RECYCLING

The HDD Mud Recycling System is a crucial component in directional drilling and pipe jacking operations. This system is designed to recycle, purify, and prepare drilling mud for reuse.

It is particularly suitable for construction projects requiring high mud capacity.

The purification process of the mud recycling system consists of three stages:
the first stage utilizes a shale shaker, followed by the second and third stages which
employ desanders and desilters, respectively.




- Both the desander and desilter are equipped with underflow shale shakers to further treat solids discharged from the primary s eparation equipment.
- Necessary mud additives are introduced through the mud preparation unit, where they are mixed uniformly to produce slurry with qualified recycling properties.



 This integrated system significantly reduces construction costs while providing effective environmental protection.

FUNCTION OF HDDMud RECYCLING SYSTEM





Jet mixing device Technical Parameters

Model	Capacity m3/h	Screen Area m2	Purification Times	Power kw Total	Volume m3
TRMR-200	50	2.3	2	35	5
TRMR-500	120	4	3	125	15
TRMR-1000	240	6	3	185	30

We are a leading manufacturer and exporter of HDD mud recycling systems.

Our factory is API-approved, and our solids control equipment is API-certified.TR Solids Control is a Chinese manufacturer specializing in the design, production, sales, and service of integrated mud solids control systems. We are also responsible for delivery and logistics.

We are committed to providing high-quality drilling solids control equipment and the best service. Your optimal HDD mud recycling solution begins with TR Solids Control.



Xi'an Tianrui Petroleum Machinery Equipment Co., Ltd., established in 2010, is a modern manufacturer of solids control equipment certified to both API Q1 and ISO 9001 standards.

Address: Baihualin Financial Innovation Center,

Xi'an City, Shaanxi Province, China

Website: www.xatrsy.com

Email: sales@trsolidscontrol.com

Phone: +86-029-86332919 Fax: +86-029-86332919

PO Box: 710016

